


Article No. **CODIGO : 1020 (15w)**

Photo

Short Desc: **LED WORKE LAMP**

Product Feature:
 1):Casting Aluminum Alloy Housing
 2):The glass surface is made of Quart Lens with high light transmission
 3):Applying to difference light resource(Such HIGH LED Lamp)
 4):The suitable design for heating elimination.
 5):The high performance of tight waterproof,dustproof , quakeproof.
 6):Anti explosion
 7):IP:68 Attestation:CE ,ROHS,E-MARK
 8):The valid irradiation distance is much more longer than normal bulb.
 9):One year limited warranty.

Product Description:
 [LED] 6 high power LEDs(3W/LED brightness:180LM+20LM)
 Power:18W
 Voltage:10□30V DC
 Amperage Draw: 1.2A @12V,0.6A @24V
 Life Time:10000~30000 Hours
 [INTENSITY] 18W 900LM
 Working Temperature:-45 ~85°C
 [SIZE] 116mm x 116mm x43mm
 Light Resource:3W HIGH POWER LED Lamp
 Housing:Die-Cast Aluminum □Lens material:PMMA
 Snock Resistance 20g
 Usage: Work/Spot/Day/Fog lamp,Available in the auxiliary lamp for,
 SUV's bumper, fire engine,ambulance and car
Packing Decription:
 Blister Card: 1pcs/ WHITE BOX. 20pcs/BOX



Article No. **CODIGO : 1021 (18w)**

Photo

Short Desc: **LED WORKE LAMP**

Product Feature:
 1):Casting Aluminum Alloy Housing
 2):The glass surface is made of Quart Lens with high light transmission
 3):Applying to difference light resource(Such HIGH LED Lamp)
 4):The suitable design for heating elimination.
 5):The high performance of tight waterproof,dustproof , quakeproof.
 6):Anti explosion
 7):IP:68 Attestation:CE ,ROHS,E-MARK
 8):The valid irradiation distance is much more longer than normal bulb.
 9):One year limited warranty.

Product Description:
 [LED] 6 high power LEDs(3W/LED brightness:180LM+20LM)
 Power:18W
 Voltage:10□30V DC
 Amperage Draw: 1.2A @12V,0.6A @24V
 Life Time:10000~30000 Hours
 [INTENSITY] 18W 1080LM
 Working Temperature:-45 ~85°C
 [SIZE] 116mm x 116mm x43mm
 Light Resource:3W HIGH POWER LED Lamp
 Housing:Die-Cast Aluminum □Lens material:PMMA
 Snock Resistance 20g
 Usage: Work/Spot/Day/Fog lamp,Available in the auxiliary lamp for,
 SUV's bumper, fire engine,ambulance and car
Packing Decription:
 Blister Card: 1pcs/ WHITE BOX. 20pcs/BOX



Article No.	CODIGO : 1022 (24w)
Short Desc:	CODIGO : 1023 (27w)

Product Feature:

- 1):Casting Aluminum Alloy Housing
- 2):The glass surface is made of Quart Lens with high light transmission
- 3):Applying to difference light resource(Such HIGH LED Lamp)
- 4):The suitable design for heating elimination.
- 5):The high performance of tight waterproof,dustproof , quakeproof.
- 6):Anti explosion
- 7):IP:68 Attestation:CE ,ROHS
- 8):The valid irradiation distance is much more longer than normal bulb.
- 9):One year limited warranty.

Product Description:

Basic Description:

[LED] 8 high power LEDs(3W/LED brightness:180LM+20LM)
 Power:24W
 Voltage:10□30V DC
 Amperage Draw: 1.8A @12V,0.9A @24V
 Life Time:10000~30000 Hours
 [INTENSITY] 24W 1450LM
 Working Temperature:-45 ~85°C
 [SIZE] 116mm x 116mm x43mm

Light Resource:3W HIGH POWER LED Lamp
 Housing:Die-Cast Aluminum □Lens material:PMMA
 Snock Resistance 2UG

Usesage: Work/Spot/Day/Fog lamp,Available in the auxiliary lamp for, SUV's bumper, fire engine,ambulance and car

Packing Decription:

Blister Card: 1pcs/ WHITE BOX. 20pcs/BOX

Photo



CE 

• 2D Drawing




Narrow Flood Beam Wide Flood Beam

Product Measure

Article No.	CODIGO : 1024 (54w)
Short Desc:	LED WORKE LAMP

Product Feature:

- 1):Casting Aluminum Alloy Housing
- 2):The glass surface is made of Quart Lens with high light transmission
- 3):Applying to difference light resource(Such HIGH LED Lamp)
- 4):The suitable design for heating elimination.
- 5):The high performance of tight waterproof,dustproof , quakeproof.
- 6):Anti explosion
- 7):IP:68 Attestation:CE ,ROHS
- 8):The valid irradiation distance is much more longer than normal bulb.
- 9):One year limited warranty.

Product Description:

Basic Description:

[LED] 18 high power LEDs(3W/LED brightness:180LM+20LM)
 Power:54W
 Voltage:10□30V DC
 Amperage Draw: 4.05A @12V,2A @24V
 Life Time:10000~30000 Hours
 [INTENSITY] 54W 3250LM
 Working Temperature:-45 ~85°C
 [SIZE] 291mm x 82mm x72mm




Light Resource:3W HIGH POWER LED Lamp
 Housing:Die-Cast Aluminum □Lens material:PMMA
 Snock Resistance 2UG


Usesage: Work/Spot/Day/Fog lamp,Available in the auxiliary lamp for, SUV's bumper, fire engine,ambulance and car

Packing Decription:

Blister Card: 1pcs/ WHITE BOX. 20pcs/BOX


Photo

CE 

Acrylic Lens
 100% Optically Pure

3 Watt LEDs
 180 Lumens Each



Extruded Aluminum
 Rugged 6061 Aluminum

IP 67 Rated Housing
 Dust \ Water Resistant

Product Measure

www.casadelled.com.ar - Reflectores 12v y 24v -		Photo
Article No.	CODIGO : 1025 (48w)	
Short Desc:	LED WORKE LAMP	
Product Feature:		
1):Casting Aluminum Alloy Housing 2):The glass surface is made of Quart Lens with high light transmission 3):Applying to difference light resource(Such HIGH LED Lamp) 4):The suitable design for heating elimination. 5):The high performance of tight waterproof,dustproof , quakeproof. 6):Anti explosion 7):IP:68 Attestation:CE ,ROHS 8):The valid irradiation distance is much more longer than normal bulb. 9):One year limited warranty.		 <p>4.5" 10-30V 48W 2900LM BS-48S</p> <p>LED Work Light</p>
Product Description:		
Basic Description:		
[LED] 16 high power LEDs(3W/LED brightness:180LM+20LM) Power:48W Voltage:10□30V DC Amperage Draw: 3.05A @12V,2A @24V Life Time:10000~30000 Hours [INTENSITY] 48W 2900LM Working Temperature:-45 ~85°C [SIZE] 110mm x 110mm x72mm Light Resource:3W HIGH POWER LED Lamp Housing:Die-Cast Aluminum □Lens material:PMMA Snock Resistance 2UG Ususage: Work/Spot/Day/Fog lamp,Available in the auxiliary lamp for, SUV's bumper, fire engine,ambulance and car		 <p>Product Measure</p>
Packing Decription:		
Blister Card: 1pcs/ WHITE BOX. 20pcs/BOX		
www.casadelled.com.ar - Reflectores 12v y 24v -		Photo
Article No.	CODIGO : 1026 (60w)	
Short Desc:	LED WORKE LAMP	
Product Feature:		
1):Casting Aluminum Alloy Housing 2):The glass surface is made of Quart Lens with high light transmission 3):Applying to difference light resource(Such HIGH LED Lamp) 4):The suitable design for heating elimination. 5):The high performance of tight waterproof,dustproof , quakeproof. 6):Anti explosion 7):IP:68 Attestation:CE ,ROHS 8):The valid irradiation distance is much more longer than normal bulb. 9):One year limited warranty.		
Product Description:		
Basic Description:		
[LED] 6 high power LEDs(10W/LED brightness:1000LM+20LM) Power:60W Voltage:10□30V DC Amperage Draw: 4.05A @12V,2A @24V Life Time:10000~30000 Hours [INTENSITY] 54W 3250LM Working Temperature:-45 ~85°C [SIZE] Diam 100mm x72mm Light Resource:3W HIGH POWER LED Lamp Housing:Die-Cast Aluminum □Lens material:PMMA Snock Resistance 2UG Ususage: Work/Spot/Day/Fog lamp,Available in the auxiliary lamp for, SUV's bumper, fire engine,ambulance and car		 <p>Product Measure</p>
Packing Decription:		
Blister Card: 1pcs/ WHITE BOX. 20pcs/BOX		